

# Drowsiness Detection System Using MATLAB

*B.Venkatesh, K.Sudhakar*

*Assistant Professor, Assistant Professor*

*ECE Dept.,*


*St.Johns College of Engineering and Technology, Yemmiganur, Kurnool(Dist.).*

## Abstract:

Despite the fact that life is a wonderful gift, it is also riddled with danger. Therefore, in order to avoid accidents from occurring, safety procedures must be implemented. Automobile collisions have risen in prominence to become one of the most important sources of insecurity in contemporary times. Maintaining a high level of vigilance while driving is extremely important to avoid accidents. It is possible that even a single minute of negligence will have catastrophic implications. The vast majority of traffic accidents occur as a result of the driver's carelessness and inaction while behind the wheel of a vehicle. Consequently, the number of traffic accidents, particularly those involving automobiles, continues to climb year after decade. As a result of drowsiness, When driving, drivers become inactive for a period of time during the journey. It is probable that earlier detection of tiredness could have prevented a number of deaths if the condition had been recognised. It has been possible to develop sleepiness detection technology thanks to the employment of machine vision-based concepts and the assistance of these concepts. Exhaustion or drowsiness must be recognised in order to be properly diagnosed and treated. Using a small camera that is pointed directly at the driver's face and that recognises the driver's eye ball movement as it moves, the driver's performance can be monitored. At the absolute least, you should When the system does its initial detection step, it looks for the presence of a face, following which it looks for the presence of eyes, and after that it determines if an eye detected is open or closed. Changes A difference in intensity in the eye leads the eye to narrow down in size, allowing the system to receive greater information. A system notifies the driver that he or she is becoming asleep at the wheel and that it is important to wake him or her up within a set time period.

Index Terms—Viola Jones algorithm, Hough Transform, Vision Cascade Object Detector, Image Acquisition.

## 1 INTRODUCTION



## Image Acquisition (section 2.1)

It is primarily concerned with obtaining a picture of the automobile driver. With the help of a dive camera, it is possible to get it into many frames of reference. It uses a live image as its input and then processes it. It then turns those photos into a series of I characters.

## 2.2 Detection of Human Faces

Every frame from the frame grabber is taken by the face detection activity, which then attempts to detect the face of the automobile driver in every frame. And it is possible to accomplish this with the assistance of Samples from the Vision Cascade.


## 2.3 Detection of the human eye

Following the detection of the face of the automobile driver with the facial recognition software, the detection function, specifically the eyes detection, can be accomplished with the assistance of the eyes detecting function. This can be accomplished with the use of Viola. The Jones Algorithm is a mathematical formula that calculates the probability of a certain event occurring.

## 2.3 Drowsiness Detection and Reduction


Once the eyes of the automobile driver are detected, the drowsiness detection function determines whether or not the driver is drowsy at that time, taking into account whether the eyes are open or closed. The state of the eyes is either open or closed.

## FLOW CHARTS




## 5.RESULTS

### 5.1EYEBALL MOVEMENT



When the eyes move towards the left side i.e., when the eye ball movement is towards left, it shows left. When the eyes move towards the right side i.e., when the eye ball movement is towards right, it shows right. Changing the level of contrast is a simple process. The quality of the Web-Camera has an impact on the accuracy of the project. The 'getsnapshot()' function in MATLAB increases the amount of time it takes to process data. The process of establishing the region of interest for detection is accomplished through the use of Viola Jones is an actress and singer from the United Kingdom. The algorithm is designed to lower the processing requirements of the system as much as possible. Image processing in MATLAB is used in this project. It is possible to explain the sleep detecting system.





## CONCLUSION

The implementation of sleepiness has thus been a complete success. Viola Jones Algorithm and MATLAB were used to detect the presence of a virus. The developed system has been successfully tested, and its shortcomings have been identified. are able to be identified

## LIMITATIONS

The following are some of the limitations of the proposed system: If the driver is wearing sunglasses, the computation will not be accurate. work. If there is a dazzling light shining directly on the webcam, this is an indication that The system is not operational.

## WORK IN THE FUTURE

It is necessary to reduce the speed of the vehicle or to slow it down completely. The vehicle's speed is measured in real time for sleepiness detection. as a result of this The detection of threshold sleepiness should be set aside in order to create continuous monitoring. While keeping an eye on your drowsiness A signal is generated continually when the level surpasses a particular threshold. created, which is used to control the braking of the car directly.

## REFERENCES

- [1] <https://www.pantechsolutions.net/image-processing-projects/matlabcode-for-drowsy-driver-detection>
- [2] P. Viola and M. J. Jones, *Robust real-time face detection*, *International Journal of Computer Vision*, 57 (2004), pp. 137{154.
- [3] *The introduction of Hough Transform is on* <http://www.mathworks.in/help/images/ref/hough.html>
- [4] K. Dwivedi, K. Biswaranjan, A.

*Sethi, “Drowsy driver detection using representation learning”,IEEE, International Advance Computing Conference, pp.995-999, Feb-2014*

*[5] Hyungseob Han, Uipil Chong, “Detection of drowsniess with eyes-open using EEG”, ISSN, vol.9, no. 1, pp.2326-3636, 2014.*